



COLLÈGE
DE FRANCE
—1530—

Program logics, first lecture

How can we reason about software?

The birth of program logics

Xavier Leroy

2021-03-04

Collège de France, chair of software sciences


`xavier.leroy@college-de-france.fr`

A review of three articles that started it all:

- Alan Turing, *Checking a large routine*, 1949.
- Robert W. Floyd, *Assigning meanings to programs*, 1967.
- C. A. R. Hoare, *An axiomatic basis for computer programming*, 1969.

The discovery:
Checking a large routine
Alan Turing, 1949

Alan Mathison Turing, 1912–1954



1931-36 Cambridge: studies mathematics

1936 Publishes the founding paper of computability theory

1936-38 Princeton: Ph.D. with A. Church




1939-44 Bletchley Park: breaking German ciphers

1945-47 Cambridge: design of the ACE programmable computer

1948-50 Manchester: the Mark 1 programmable computer (Ferranti);
“Turing’s test” in artificial intelligence.

1951-53 Manchester: mathematical biology; morphogenesis.

A pioneering article



Talk given at the inaugural conference of the EDSAC computer, Cambridge University, June 1949. The manuscript was commented, and republished by F.L. Morris and C.B. Jones in *Annals of the History of Computing*, 6, 1984.

How can one check a routine? That is the question!

Friday, 24th June.

Checking a large routine. by Dr. A. Turing.

How can one check a routine in the sense of making sure that it is right?

In order that the man who checks may not have too difficult a task the programmer should make a number of definite assertions which can be checked individually, and from which the correctness of the whole programme easily follows.

Decomposing verification in elementary steps

Consider the analogy of checking an addition. If it is given as:

$$\begin{array}{r} 1374 \\ 5906 \\ 6719 \\ 4337 \\ \underline{7768} \\ 26104 \end{array}$$

one must check the whole at one sitting, because of the carries. But if the totals for the various columns are given, as below:

$$\begin{array}{r} 1374 \\ 5906 \\ 6719 \\ 4337 \\ \underline{7768} \\ 3974 \\ \underline{2213} \\ 26104 \end{array}$$

the checker's work is much easier being split up into the checking of the various assertions $3 + 9 + 7 + 3 + 7 = 29$ etc. and the small addition

$$\begin{array}{r} 3974 \\ \underline{2213} \\ 26104 \end{array}$$

Turing's program: the factorial function

Compute $n!$ using additions only.

Two nested loops.

```
int fac (int n)
{
    int s, r, u, v;
    u = 1;
    for (r = 1; r < n; r++) {
        v = u; s = 1;
        do {
            u = u + v;
        } while (s++ < r);
    }
    return u;
}
```


The flowchart for the program

“Unfortunately there is no coding system sufficiently generally known to justify giving the routine for this process.”




Figure 1 (Redrawn from Turing's original)

(The notation u/u' denotes the value of u before/after the block).

Logical assertions

“In order to assist the checker, the programmer should make assertions about the various states that the machine can reach.”

The assertions document not only which memory location contains which abstract variable, but also **relations between these variables**.


STORAGE LOCATION	(INITIAL) Ⓐ $k = 6$	Ⓑ $k = 5$	Ⓒ $k = 4$	(STOP) Ⓓ $k = 0$	Ⓔ $k = 3$	Ⓕ $k = 1$	Ⓖ $k = 2$
27					s	$s + 1$	s
28		r	r		r	r	r
29	n	n	n	n	n	n	n
30		$\lfloor r$	$\lfloor r$		$s \lfloor r$	$(s + 1) \lfloor r$	$(s + 1) \lfloor r$
31		$\lfloor r$	$\lfloor r$	$\lfloor n$	$\lfloor r$	$\lfloor r$	$\lfloor r$
	TO Ⓑ WITH $r' = 1$ $u' = 1$	TO Ⓒ	TO Ⓓ IF $r = n$ TO Ⓔ IF $r < n$		TO Ⓖ	TO Ⓑ WITH $r' = r + 1$ IF $s \geq r$ TO Ⓔ WITH $s' = s + 1$ IF $s < r$	TO Ⓕ

Figure 2 (Redrawn from Turing's original)

(The notation $\lfloor n$ means “ n factorial”.)


Logical assertions on the flowchart

In the modern notation (introduced by Floyd in 1967), we write the assertions directly on the edges of the flowchart.



Verification


“The checker has to verify that the columns corresponding to the initial condition and the stopped condition agree with the claim that are made for the routine as a whole.”



$$r \leq n \wedge u = r! \wedge v = r! \wedge r - n \geq 0 \implies v = n!$$

Verification

"[The checker] also has to verify that each of the assertions in the lower half of the table is correct. In doing this the columns may be taken in any order and quite independently."



$$s \leq r < n \wedge u = sr! \wedge v = r!$$
$$\Downarrow$$
$$s \leq r < n \wedge u + v = (s + 1)r! \wedge v = r!$$

$$s - 1 \leq r < n \wedge u = sr! \wedge v = r!$$
$$\wedge (s - 1) - r < 0$$
$$\Downarrow$$
$$s \leq r < n \wedge u = sr! \wedge v = r!$$

Verifying termination

“Finally the checker has to verify that the process comes to an end. Here again he should be assisted by the programmer [...]. This may take the form of a quantity which is asserted to decrease continually and vanish when the machine stops.”


Turing suggests taking the ordinal $(n - r)\omega^2 + (r - s)\omega + k$, which corresponds to lexicographic ordering on $(n - r, r - s, k)$.

More pragmatically, he suggests $2^{80}(n - r) + 2^{40}(r - s) + k$.

STORAGE LOCATION	(INITIAL) Ⓐ $k = 6$	Ⓑ $k = 5$	Ⓒ $k = 4$	(STOP) Ⓓ $k = 0$	Ⓔ $k = 3$	Ⓕ $k = 1$	Ⓖ $k = 2$
---------------------	---------------------------	--------------	--------------	------------------------	--------------	--------------	--------------

Rediscovery and formalization:
Assigning meanings to programs
Robert W. Floyd, 1967

Robert W Floyd, 1936–2001



1953 B.A. in liberal arts, U. Chicago

1958 B.S. in physics, U. Chicago

195?-61 Computer programmer, Illinois I.T.

1962-64 Senior scientist, Computer Associates

1965-67 Associate professor, Carnegie I.T.

1968-91 Professor, Stanford

1978 Turing award

(syntax analysis)

(compilers)

(algorithms, semantics)

(algorithms)

Robert W. Floyd

ASSIGNING MEANINGS TO PROGRAMS¹


Introduction. This paper attempts to provide an adequate basis for formal definitions of the meanings of programs in appropriately defined programming languages, in such a way that a rigorous standard is established for proofs about computer programs, including proofs of correctness, equivalence, and termination. The basis of our approach is the notion of

Mathematical Aspects of Computer Science, 1967, 14 pages.

Proceedings of Symposium on Applied Mathematics, vol 19, AMS.


The return of logical assertions

18 years later, Floyd rediscovers Turing's idea:
annotate a flowchart with logical assertions.



From verification conditions...

Floyd formalizes the **verification conditions**:
logical implications that guarantee the logical consistency of the
assertions annotating the program.



$$\begin{aligned} P \wedge x > 0 &\Rightarrow Q \\ P \wedge x \leq 0 &\Rightarrow R \\ \exists y_0, Q[y \leftarrow y_0] \wedge y = x &\Rightarrow S \\ \exists y_0, R[y \leftarrow y_0] \wedge y = -x &\Rightarrow T \\ S \vee T &\Rightarrow U \end{aligned}$$

Annotated program \longrightarrow Verification conditions

... to the semantics of the programming language

annotated program $\xrightarrow{\text{formal semantics}}$ verification conditions


Floyd notices that the rules transforming an annotated program into verification conditions constitute a **semantics** of the programming language.

It's the birth of formal semantics!


(See my 2019 lectures “Mechanized semantics”.)

“[T]he proposal that the semantics of a programming language may be defined independently of all processors for that language, by establishing standards of rigor for proofs about programs in the language, appear to be novel”


Verification conditions for flowcharts



$$P \wedge b \Rightarrow Q_1$$
$$P \wedge \neg b \Rightarrow Q_0$$






$$P_1 \vee P_2 \Rightarrow Q$$




$$(\exists x_0, x = f(x_0, \vec{y}) \wedge P(x_0, \vec{y})) \Rightarrow Q$$

Floyd's rule for assignment

Examples:



General case:



$$(\exists x_0, x = e[x \leftarrow x_0] \wedge P[x \leftarrow x_0]) \Rightarrow Q$$

Generic rules

Notations:

- c command (fragment of a program)
- \vec{P} preconditions (one per entry in c)
- \vec{Q} postconditions (one per exit out of c)
- $V_c(\vec{P}; \vec{Q})$ verification conditions for \vec{P} , c , \vec{Q}

Consequence: if $V_c(\vec{P}; \vec{Q})$ and $\vec{P}' \Rightarrow \vec{P}$ and $\vec{Q} \Rightarrow \vec{Q}'$, then $V_c(\vec{P}'; \vec{Q}')$.

Conjunction: if $V_c(\vec{P}; \vec{Q})$ and $V_c(\vec{P}', \vec{Q}')$ then $V_c(\vec{P} \wedge \vec{P}'; \vec{Q} \wedge \vec{Q}')$.

Disjunction: if $V_c(\vec{P}; \vec{Q})$ and $V_c(\vec{P}', \vec{Q}')$ then $V_c(\vec{P} \vee \vec{P}'; \vec{Q} \vee \vec{Q}')$.

Existential quantification: if $V_c(\vec{P}; \vec{Q})$ then $V_c(\exists x. \vec{P}; \exists x. \vec{Q})$.

Semantic soundness

If the verification condition $V_c(P_1 \dots P_n; Q_1 \dots Q_m)$ holds
c executes from initial state s to final state s' (exit number j)
the initial state s satisfies one of the preconditions P_i
then
the final state s' satisfies postcondition Q_j .

Easy to prove for the flowchart rules.

Corollary: if the program starts in an initial state satisfying its precondition P , and if it terminates, then the final state satisfies its postcondition Q .

Strongest verifiable consequence

Floyd conjectures that the verification condition $V_c(\vec{P}; \vec{Q})$ can always be written as

$$T_c(P_1 \vee \dots \vee P_n) \Rightarrow \vec{Q}$$


where $T_c(P)$ is the strongest postcondition for command c with precondition P .

For example, in the case of flowcharts, we have

$$T_{x:=e}(P) = \exists x_0, x = e[x \leftarrow x_0] \wedge P[x \leftarrow x_0]$$
$$T_{\text{test}(b)}(P) = (P \wedge b, P \wedge \neg b)$$

Towards automation

Using T , we can complete a partially-annotated flowchart.



“ This fact offers the possibility of automatic verification of programs, the programmer merely tagging entrances and one edge in each innermost loop; the verifying program would extend the interpretation and verify it, if possible, by mechanical theorem-proving techniques. ”

Other contributions of Floyd's paper


A partial definition of V_c for structured commands in the style of Algol (sequences, if/then/else, for loops).

A discussion of completeness for the definition of V_c (see next lecture).

A method to verify termination:

- To each edge of the flowchart, associate a function values of variables \rightarrow well-founded set W (e.g. W = tuples of integers with lexicographic ordering)
- Check that these functions decrease at each transition.

Final example in the paper: Euclidean division




The manifesto:

***An axiomatic basis for computer
programming***

C. A. R. Hoare, 1969

Sir Charles Antony Richard Hoare, 1934–



- 1952–55 B.A. in philosophy, Oxford
- 1956–57 Serves in the Royal Navy
 - 1958 Master in statistics, Oxford
 - 1959 Works with Kolmogorov at Lomonossov university, Moscow
- 1960–67 Works at Elliot Brothers: compiling Algol; Quicksort.
- 1968–76 Professor, University of Belfast.
 - 1977– Professor, University of Oxford
- 1980 Turing award
- 1999– Principal researcher, Microsoft Research, Cambridge
- 2000 Knighthood

An Axiomatic Basis for Computer Programming

C. A. R. HOARE

The Queen's University of Belfast, Northern Ireland*

In this paper an attempt is made to explore the logical foundations of computer programming by use of techniques which were first applied in the study of geometry and have later been extended to other branches of mathematics. This involves the elucidation of sets of axioms and rules of inference which can be used in proofs of the properties of computer programs. Examples are given of such axioms and rules, and a formal proof of a simple theorem is displayed. Finally, it is argued that important advantages, both theoretical and practical, may follow from a pursuance of these topics.

Communications of the ACM 12(10), 1969

A principled position: the axiomatic approach

An axiomatic approach makes it possible to specify programs and define programming languages **without specifying everything**.

Hoare's example: arithmetic overflows (in unsigned integer arithmetic).

Error: $MAX + 1$ halts the program

Saturation: $MAX + 1 = MAX$

Modulo: $MAX + 1 = 0$

Axiomatizing computer arithmetic


Hoare states 9 axioms that hold in \mathbb{N} but also in the three kinds of machine arithmetic:

A1	$x + y = y + x$	addition is commutative
A2	$x \times y = y \times x$	multiplication is commutative
A3	$(x + y) + z = x + (y + z)$	addition is associative
A4	$(x \times y) \times z = x \times (y \times z)$	multiplication is associative
A5	$x \times (y + z) = x \times y + x \times z$	multiplication distributes through addition
A6	$y \leq x \supset (x - y) + y = x$	addition cancels subtraction
A7	$x + 0 = x$	
A8	$x \times 0 = 0$	
A9	$x \times 1 = x$	

He shows that these axioms suffice to verify Euclidean division.

A notation: “Hoare triples”

To axiomatize programs, Hoare introduces the notation



This may be interpreted “If the assertion P is true before initiation of a program Q , then the assertion R will be true on its completion”.

The notation universally used today:



A contribution: the rules for a structured language

Instead of flowcharts, Hoare considers control structures in the style of Algol 60.

$$\{ Q[x \leftarrow e] \} x := e \{ Q \} \text{ (assignment)}$$

$$\frac{\{ P \} c \{ Q \} \quad Q \Rightarrow Q'}{\{ P \} c \{ Q' \}} \text{ (consequence 1)} \quad \frac{P' \Rightarrow P \quad \{ P \} c \{ Q \}}{\{ P' \} c \{ Q \}} \text{ (consequence 2)}$$

$$\frac{\{ P \} c_1 \{ Q \} \quad \{ Q \} c_2 \{ R \}}{\{ P \} c_1; c_2 \{ R \}} \text{ (composition)}$$

$$\frac{\{ P \wedge b \} c \{ P \}}{\{ P \} \text{ while } b \text{ do } c \{ P \wedge \neg b \}} \text{ (iteration)}$$

Hoare's rule for assignment

$$\{ Q[x \leftarrow e] \} x := e \{ Q \}$$

“Backward” reasoning style: the postcondition Q determines the precondition.

Example

$$\begin{array}{l} \{ 0 = 0 \wedge y \leq 10 \} \quad x := 0 \quad \{ x = 0 \wedge y \leq 10 \} \\ \{ 1 \leq x + 1 \leq 10 \} \quad x := x + 1 \quad \{ 1 \leq x \leq 10 \} \end{array}$$

Contrast with the “forward” style of Floyd's rule:

$$\{ P \} x := e \{ \exists x_0, x = e[x \leftarrow x_0] \wedge P[x \leftarrow x_0] \}$$

Hoare's rule for iteration

$$\frac{\{P \wedge b\} c \{P\}}{\{P\} \text{ while } b \text{ do } c \{P \wedge \neg b\}} \quad \text{(iteration)}$$

The precondition P must be a **loop invariant**:
true at the beginning of the loop body c at every iteration;
re-established at the end of the body c for the next iteration.

Example (counted loop)

```
x := 0;  
  { 0 ≤ x ≤ 10 }  
while x < 10 do  
  { 0 ≤ x ≤ 10 ∧ x < 10 } x := x + 1 { 0 ≤ x ≤ 10 }  
done  
{ 0 ≤ x ≤ 10 ∧ ¬(x < 10) } ⇒ { x = 10 }
```

Final example in the paper: Euclidean division

```
r := X;  
q := 0;  
while y ≤ r do  
  r := r - y;  
  q := q + 1  
done
```

Line number	Formal proof	Justification
1	true $\supset x = x + y \times 0$	Lemma 1
2	$x = x + y \times 0 \{r := x\} x = r + y \times 0$	D0
3	$x = r + y \times 0 \{q := 0\} x = r + y \times q$	D0
4	true $\{r := x\} x = r + y \times 0$	D1 (1, 2)
5	true $\{r := x; q := 0\} x = r + y \times q$	D2 (4, 3)
6	$x = r + y \times q \wedge y \leq r \supset x =$ $(r - y) + y \times (1 + q)$	Lemma 2
7	$x = (r - y) + y \times (1 + q) \{r := r - y\} x =$ $r + y \times (1 + q)$	D0
8	$x = r + y \times (1 + q) \{q := 1 + q\} x =$ $r + y \times q$	D0
9	$x = (r - y) + y \times (1 + q) \{r := r - y;$ $q := 1 + q\} x = r + y \times q$	D2 (7, 8)
10	$x = r + y \times q \wedge y \leq r \{r := r - y;$ $q := 1 + q\} x = r + y \times q$	D1 (6, 9)
11	$x = r + y \times q \{ \text{while } y \leq r \text{ do}$ $(r := r - y; q := 1 + q) \}$ $\neg y \leq r \wedge x = r + y \times q$	D3 (10)
12	true $\{ ((r := x; q := 0); \text{ while } y \leq r \text{ do}$ $(r := r - y; q := 1 + q)) \} \neg y \leq r \wedge x =$ $r + y \times q$	D2 (5, 11)

The manifesto of deductive verification

A discussion of all that remains to be done:

- Verify termination and absence of run-time errors.
- More arithmetic (incl. floating point), arrays, records, procedures, functions, recursion, goto, pointers.

An advocacy of program verification

- Testing is expensive.
- Error is very expensive.
- Documentation; portability.

Some quotes

When the correctness of a program, its compiler, and the hardware of the computer have all been established with mathematical certainty, it will be possible to place great reliance on the results of the program, and predict their properties with a confidence limited only by the reliability of electronics.

The cost of error in certain types of program may be almost incalculable—a lost spacecraft, a collapsed building, a crashed aeroplane, or a world war. Thus, the practice of program proving is not only a theoretical pursuit, followed in the interest of academic responsibility, but a serious recommendation for the reduction of the costs associated with programming error.

However, program proving, certainly at present, will be difficult even for programmers of high caliber; and may be applicable only to quite simple program designs. As in other areas, reliability can be purchased only at the price of simplicity.

Summary

Summary so far

As early as 1969, the general principles of deductive verification have already been set in the works of Floyd and Hoare.

Much work remains:

- 1970's and 1980's: deeper understanding of the foundations for "Hoare logic". (→ lecture #2)
- 1990's and 2000's: implementation within deductive verification tools (→ seminars #1 and #2)

The next major turning point in the area takes place around year 2000...